

Vizrt	Viz Multiplay forVideowall	Viz MultiplayVizrt Media ServiceViz Engine™ Additional GPU SupportIntel® Core™ i5 處理器、Windows 10 Pro、DDR 4GRAM、多 模組化裝置設計及 802.11ac Wi-Fi
-------	-------------------------------	---

Vizrt	Trio DVI UpgradeSupport Package	Trio Control Dongle #ea 51 d7 4e b1 ae 28 15Engine Dongle #d8 50 d7 4e b1 af 28 27
-------	---------------------------------------	--

Vizrt	Viz Virtual StudioSystem™ AdditionalCamera Licen	License for one additional tracked camera channelconnected to Viz Virtual StudioSoftware license: 1 Tracked Camera LicenseDongle #d8 50 d7 4e b1 af 28 27
-------	---	--

Dell	P2418HT	十點觸控 防眩光 薄 邊框設計IPS 178度 廣視角面板支援 D-sub、HDMI1.4、 DP1.2介面USB3.0上 行連接埠 / USB3.0 x 2 / USB2.0 x 21920*1080 FHD解 析亮度:250cd/m對比 率:1000:1可調整高 度、傾斜、左右旋轉
------	---------	---

Vizrt	Engine	Engine Dongle #31
	UpgradeSupport	51 D7 4E B1 AE 28
	Package	CE
Vizrt	nVIDIA Quadro	Nvidia Quadro
	SyncUpgrade	G-Sync III
		synchronization board
Vizrt	NVIDIA	24GB GDDR5 384bit,
	QuadroM6000	1x DVI, 4x
	24GBGraphics Board-	DisplayPort(Number
		of Displays
		Supported: 4), 3072
		CUDACores, 250W,
		PCI-Express 3.0 x16

Support package

Vizrt support includes local support via telephoneHot-Line, web portal, and web newsgroup, readaccess to individual Vizrt FTP account with alldocumentation, software and driver information, aswell as software improvements and updatedrevisions. On-site support as deemed necessary by

LYNX	CHD 1812	LYNX Yellobrik CHD
		1812 HDMI to 3G SDI
		Converterw/Frame
		Synchronizer & SFP Port

Aten	VS162	2-Port
		DVI/Audio
		Splitte

安裝

施工料

人力服務 (40

個工作天)網絡

線 Cat6

305M4.5CHD

同軸電纜